## MARK SCHEME for the October/November 2012 series

## 0581 MATHEMATICS

0581/41

Paper 4 (Extended), maximum raw mark 130

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the October/November 2012 series for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level components and some Ordinary Level components.



Page 2	Mark Scheme	Syllabus	Paper
	IGCSE – October/November 2012	0581	41

## Abbreviations

cao	correct answer only
cso	correct solution only
dep	dependent
ft	follow through after error
isw	ignore subsequent working
oe	or equivalent
SC	Special Case
WWW	without wrong working
art	anything rounding to
soi	seen or implied

1       (a) (i) 126       2       M1 for $x + x + 18 + 90 = 360$ or better         (ii) 144       1 ft       ft their $x + 18$ (b) 16.66 to 16.67 or 16.7 oe       2       M1 for 60/360 × 100 oe         (iii) 22.18 to 22.19 or 22.2 oe       3       M2 for (35 + 36)/320 × 100         (ii) 58 www       2 ft       For 2ft, 114 - their (a)(ii)/360 × 140 correctly evaluated (correct or to the nearest integer) or M1 for (360 - 60 - 72)/360 × 180 [114] or 56ft (their (a)(ii)/360 × 140) seen         (d) (i) 50, 70, 100, 135       M1       At least 3 correct mid-values seen $(5 × 50 + 14 × 70 + 29 × 100 + 32 × 135) [= 8450]       M1       \sum fx where x is in the correct interval allow one further slip         40 or their \sum f       M1       Depend on second method       isw conversion to mins/secs & reference to classes         (ii) 1       2.9 oe       4.27 [4.266 to 4.267] oe       4       B3 for 2.9 and 4.27         0.7 SC2 for 0.25 oe and 0.725 oe and 1.066 to 1.07 or secen       Or SC2 for 0.25 oe and 0.725 oe and 1.066 to 1.07 or secen   $	Qu.		Answers	Mark	Part Marks
(ii) 1441 ftft their $x + 18$ (b) 16.66 to 16.67 or 16.7 oe2M1 for 60/360 × 100 oe (implied by answer 16.6)(c) (i) 22.18 to 22.19 or 22.2 oe3M2 for $(35 + 36)/320 \times 100$ or B1 for 36 or 35 or 71 seen(ii) 58 www2 ftFor 2ft, 114 - their (a)(ii)/360 × 140 correctly evaluated (correct or to the nearest integer) or M1 for $(360 - 60 - 72)/360 \times 180 [114]$ or $56ft (their (a)(ii)/360 × 140) seen(d) (i) 50, 70, 100, 135(5 \times 50 + 14 \times 70 + 29 \times 100 + 32 \times 135) [= 8450]\div 80 or their \sum f106 or 105.62 or 105.62 or 105.62or 105.63 cao wwwM1At least 3 correct mid-values seenM1\sum fx where x is in the correct interval allowone further slipisw conversion to mins/secs & reference toclasses(ii) 12.9 oe4.27 [4.266 to 4.267] oe4B3 for 2.9 and 4.27or 0s 20 or 4.27and B1 for 10 r SC2 for 0.25 oe and 0.725 oe and 1.066 to1.07 os esen0 r SC2 for 0.25 oe and 0.725 oe and 1.066 to1.07 os esen$	1	(a)	<b>(i)</b> 126	2	<b>M1</b> for $x + x + 18 + 90 = 360$ or better
(b) $16.66 \dots$ to $16.67$ or $16.7$ oe2M1 for $60/360 \times 100$ oe (implied by answer $16.6$ )(c)(i) $22.18$ to $22.19$ or $22.2$ oe3M2 for $(35 + 36)/320 \times 100$ or B1 for $36$ or $35$ or $71$ seen(ii) $58$ www2 ftFor $2ft$ , $114 - their (a)(ii)/360 \times 140$ correctly evaluated (correct or to the nearest integer) or M1 for $(360 - 60 - 72)/360 \times 180$ [114] or $56ft$ (their (a)(ii)/ $360 \times 140$ ) seen(d)(i) $50, 70, 100, 135$ $(5 \times 50 + 14 \times 70 + 29 \times 100 + 32 \times 135) [= 8450]\div 80 or their \sum fM1At least 3 correct mid-values seenM1\sum fx where x is in the correct interval allowone further slipM1Depend on second method(ii)12.9 oeA1isw conversion to mins/secs & reference toclasses(ii)12.9 oeA1B3 for 2.9 and 4.27or B2 for 2.9 or 4.27(iii)1C.9 oeA1(iii)1C.9 oe(iii)1C.9 oe(iii)1C.9 oe$			<b>(ii)</b> 144	1 ft	ft their $x + 18$
(c) (i) 22.18 to 22.19 or 22.2 oe3M2 for $(35 + 36)/320 \times 100$ or B1 for 36 or 35 or 71 seen(ii) 58 www2 ftFor 2ft, 114 - their (a)(ii)/360 $\times 140$ correctly evaluated (correct or to the nearest integer) or M1 for $(360 - 60 - 72)/360 \times 180$ [114] or $56ft$ (their (a)(ii)/360 $\times 140$ ) seen(d) (i) 50, 70, 100, 135 $(5 \times 50 + 14 \times 70 + 29 \times 100 + 32 \times 135)$ [= 8450] $\div 80$ or their $\sum f$ M1At least 3 correct mid-values seenM1 $2 \text{ fx}$ where x is in the correct interval allow one further slip $\pm 80$ or their $\sum f$ M1 $106$ or 105.60 r 105.625 or 105.62 or 105.63 cao www(ii) 1 2.9 oe 4.27 [4.266 to 4.267] oeB3 for 2.9 and 4.27 or B2 for 2.9 or 4.27 and B1 for 1Or SC2 for 0.25 oe and 0.725 oe and 1.066 to 1.07 oe seenOr SC1 for any pair of the shore score		(b)	16.66 to 16.67 or 16.7 oe	2	M1 for $60/360 \times 100$ oe (implied by answer 16.6)
(ii) 58 www2 ftFor 2ft, 114 - their (a)(ii)/360 × 140 correctly evaluated (correct or to the nearest integer) or M1 for $(360 - 60 - 72)/360 \times 180$ [114] or 56ft (their (a)(ii)/360 × 140) seen(d) (i) 50, 70, 100, 135 		(c)	(i) 22.18 to 22.19 or 22.2 oe	3	<b>M2</b> for (35 + 36)/320 × 100 or <b>B1</b> for 36 or 35 or 71 seen
(d) (i) 50, 70, 100, 135M1At least 3 correct mid-values seen $(5 \times 50 + 14 \times 70 + 29 \times 100 + 32 \times 135) [= 8450]$ $\sum fx$ where x is in the correct interval allow one further slip $\div 80$ or their $\sum f$ M1 $106$ or 105.6 or 105.625 or 105.62M1 $000$ or 105.63 cao wwwA1(ii) 1isw conversion to mins/secs & reference to classes(iii) 1B3 for 2.9 and 4.27 $2.9$ oeor B2 for 2.9 or 4.27 $4.27$ [4.266 to 4.267] oeA $0r$ SC2 for 0.25 oe and 0.725 oe and 1.066 to 1.07 oe seen $0r$ SC1 for any pair of the above scen			(ii) 58 www	2 ft	For 2ft, $114 - \text{their} (\mathbf{a})(\mathbf{ii})/360 \times 140$ correctly evaluated (correct or to the nearest integer) or M1 for $(360 - 60 - 72)/360 \times 180$ [114] or 56ft (their (a)(ii)/360 $\times$ 140) seen
$(5 \times 50 + 14 \times 70 + 29 \times 100 + 32 \times 135) [= 8450]$ M1 $\sum fx$ where x is in the correct interval allow one further slip $\div 80$ or their $\sum f$ M1Depend on second method106 or 105.6 or 105.625 or 105.62 or 105.63 cao wwwA1isw conversion to mins/secs & reference to classes(ii) 1 2.9 oe 4.27 [4.266 to 4.267] oeB3 for 2.9 and 4.27 or B2 for 2.9 or 4.27 and B1 for 1B3 for 1 Or SC2 for 0.25 oe and 0.725 oe and 1.066 to 1.07 oe seen(ii) $0 \times SC1$ for any pair of the above score		(d)	<b>(i)</b> 50, 70, 100, 135	M1	At least 3 correct mid-values seen
$\div$ 80 or their $\sum f$ M1Depend on second method106 or 105.6 or 105.625 or 105.62 or 105.63 cao wwwA1isw conversion to mins/secs & reference to classes(ii) 11B3 for 2.9 and 4.27 or B2 for 2.9 or 4.272.9 oe4.27 [4.266 to 4.267] oe44.27 [4.266 to 4.267] oe4Or SC2 for 0.25 oe and 0.725 oe and 1.066 to 1.07 oe seenOr SC1 for any pair of the above seen			$(5 \times 50 + 14 \times 70 + 29 \times 100 + 32 \times 135)$ [= 8450]	M1 M1	$\sum fx$ where x is in the correct interval allow one further slip
106 or 105.6 or 105.625 or 105.62 or 105.63 cao www       A1       isw conversion to mins/secs & reference to classes         (ii)       1       B3 for 2.9 and 4.27 or B2 for 2.9 or 4.27         2.9 oe       or B2 for 2.9 or 4.27         4.27 [4.266 to 4.267] oe       4         Or SC2 for 0.25 oe and 0.725 oe and 1.066 to 			$\div 80$ or their $\sum f$		Depend on second method
<ul> <li>(ii) 1</li> <li>2.9 oe</li> <li>4.27 [4.266 to 4.267] oe</li> <li>4 and B1 for 1</li> <li>Or SC2 for 0.25 oe and 0.725 oe and 1.066 to 1.07 oe seen</li> <li>Or SC1 for any pair of the showe scorp</li> </ul>			106 or 105.6 or 105.625 or 105.62 or 105.63 cao www	A1	isw conversion to mins/secs & reference to classes
2.9 oe       or B2 for 2.9 or 4.27         4.27 [4.266 to 4.267] oe       4         Or SC2 for 0.25 oe and 0.725 oe and 1.066 to 1.07 oe seen         Or SC1 for any pair of the showe score			(ii) 1		<b>B3</b> for 2.9 and 4.27
4.27 [4.266 to 4.267] oe 4 and <b>B1</b> for 1 Or SC2 for 0.25 oe and 0.725 oe and 1.066 to 1.07 oe seen Or SC1 for any pair of the showe seen			2.9 oe		or <b>B2</b> for 2.9 or 4.27
Or SC2 for 0.25 oe and 0.725 oe and 1.066 to 1.07 oe seen			4.27 [4.266 to 4.267] oe	4	and <b>B1</b> for 1
Or SC1 for any pair of the shows scope					<b>Or SC2</b> for 0.25 oe and 0.725 oe and 1.066 to 1.07 oe seen
Of SCI for any pair of the above seen					Or <b>SC1</b> for any pair of the above seen

Page 3	Mark Scheme	Syllabus	Paper
	IGCSE – October/November 2012	0581	41

2	(a) (i) 14 -5.5 20	1+1+1	
	(ii) 10 correct points plotted	P3 ft	P2 ft for 8 or 9 correct
			<b>P1</b> ft for 6 or 7 correct
			Centre of point must touch line if exact or be in correct square (including boundaries)
	Smooth curve through all 10 points	C1	Within 1 mm radially of potted points. In absence of plot[s], allow curve to imply plot[s]
	correct shape		No ruled sections
	<b>(b)</b> -4.8 to -4.6, -0.4 to -0.2, 3 to 3.1	1+1+1	After 0 scored, <b>SC1</b> for $y = 2$ soi
	WWW		Penalise first occurrence of co-ord answers in <b>(b)</b> and <b>(d)(ii)</b>
	(c) Tangent drawn at $x = -4$	<b>T1</b>	Not chord or daylight
	Attempts $y$ step/ $x$ step with correct scales	M1	Dep on <b>T1</b> or close attempt at tangent at $x = -4$
	6 to 11	A1	Dep on <b>M1</b> only
	(d) (i) Ruled line through (1, 15) and (3, -5)	3	<b>L2</b> for short line but correct or freehand full length correct line.
			<b>L1</b> for ruled or freehand line through $(0, 10)$ (but not $y = 10$ ) or for ruled line with gradient $-5$
	(ii) 2.5 to 2.7	1	isw for extra solns from wrong curve/line
3	(a)		
	(g=)1	1	
	(i 15) $(h=) 5$	1ft	ft 16 – their 11
	h5 g11 $(i=)15$	1ft	ft 20 – their 5
	(j = ) 8	1ft	ft 39 – (their 11 + their 5 + their 15)
			ft for positive integers only
	(b) (i) 5	1	
	<b>(ii)</b> 51	1 ft	ft 36 + their <i>i</i>
	(c) (i) 15	1	
	<b>(ii)</b> 10	1	
	(d) (i) $\frac{13}{13}$ or [0, 144]	1	In (d) and (e) accept fraction, %, dec equivalents (3sf or better) throughout but not ratio or words
	90 90		isw incorrect cancelling/conversion
	(ii) $\frac{15}{90}$ oe [0.167]	1	

Page 4		ļ	Mark Scheme			Syllabus	Paper	
			IGCSE – October/November 2012			0581	41	
					I			
	(e)	(i)	$\frac{20}{8010}$ oe [0.0025[0]]	2	M1 for $\frac{5}{90}$ × After M0, SC	$\frac{4}{89}$ oe C1 for $\frac{5}{90} \times \frac{5}{90}$ oe		
		(ii)	$\frac{598}{8010}$ oe [0.0747]	3	M2 for $\left(\frac{23}{90} \times \frac{13}{89}\right) + \left(\frac{13}{90} \times \frac{23}{89}\right)$ oe or M1 for one product soi [0.0373] After M0, SC1 for 2 $\left(\frac{23}{90} \times \frac{13}{90}\right)$ oe			
4	(a)	(i)	2.5 or $\frac{5}{2}$	2	M1 for one correct step collected i.e $6x = k$ or $ax = 15$ or for $4x + 2x = 8 + 7$			
		(ii)	13	2	<b>M1</b> for <i>x</i> – 7	$= 2 \times 3$ or better		
	(b)	(i)	$27x^3y^{12}$ final answer	2	B1 for 2 corr	ect elements		
		(ii)	$4a^3b^{[1]}$ final answer	2	<b>B1</b> for 2 corr	ect elements		
		(iii)	$\frac{x+1}{x+8}$ www final answer	4	M2 for $(x - 8)(x + 1)$ seen or SC1 for $(x + a)(x + b)$ where $a + b = -7$ or $ab = -8$ and B1 for $(x + 8)(x - 8)$ seen			
5	(a)	55.6	to 55.61 www	3	M2 for $\sqrt{46^2}$ or M1 for 46 or 46 <sup>2</sup> + 20 <sup>2</sup> c or 24 <sup>2</sup> + 20 <sup>2</sup> c	$\frac{1}{1} + 24^2 + 20^2$ oe $\sqrt{3}^2$ $\frac{1}{2} + 24^2$ oe [soi by 20 be [soi by 2516 or a be [soi by 976 or art	3092         692 or art 51.9]         .rt 50.2]         t 31.2]	
	<b>(b)</b>	90.6	or 90.57 to 90.58	3	<b>M2</b> for $\frac{2}{(20)}$	$\frac{20000}{(24 \times 46)} \times 100 \text{ oe}$		
	(c)	25.1 30.2	9 to 25.21, 30.23 to 30.246 or 57.95 to 57.97 or 58[.0]	3	M2 for 20 × M1 for $\sqrt[3]{2}$	$^{3}\sqrt{2}$ or 24 × $^{3}\sqrt{2}$ or 24 × $^{3}\sqrt{2}$ o oe seen [1.259 to 1	or $46 \times \sqrt[3]{2}$ .261]	
	(d)	16.8	to 16.842	3	<b>M1</b> for $\sqrt[3]{2}$ oe seen [1.259 to 1.261] <b>M2</b> for $\sqrt[3]{\frac{20000}{4/3\pi}}$ oe or answer figs 168 to 16842 or <b>M1</b> for $\sqrt[3]{\frac{20000}{4/3\pi}}$ [4770 – 4780] seen			

Page 5		5	Mark Scheme			Syllabus	Paper	
			IGCSE – October/Nov	ember	2012	0581	41	
					Γ			
6	(a)	(i)	$\begin{pmatrix} -2\\ -1 \end{pmatrix}$	1				
		(ii)	7.28 [0] or	2	<b>M1</b> for $\sqrt{2^2}$ .	$+(-7^2)$ oe		
			$\pm\sqrt{53}$ as final answer					
		(iii)	[ <i>m</i> = ] 3.5 oe and [ <i>n</i> = ] -1.5 oe	6	6 B1 for $-2m + 2n = -10$ oe and B1 for $3m - 7n = 21$ oe and M1 for correct attempt to equate of coefficients and M1dep for elimination arithmetic error overall ft their sim eqns for both m's or M1 for correct rearrangement (allow and M1dep for correct substitution ft their sim eqns for both m's and A1 for 3.5 or $-1.5$			
	(b)	(i)	$-\mathbf{p} + \mathbf{q}$	1	Condone colu	umn vector used		
		(ii)	$-\frac{3}{5}\mathbf{p}+\frac{3}{5}\mathbf{q}$ oe	1 FT	Correct or ft [ $a \neq 0, b \neq 0$ ] Condone colu	$\frac{3}{5}$ (their <b>(b)(i)</b> ) de	p on $ap + bq$ ,	
		(iii)	Parallel similar 9 : 25 oe	1 1 1	Accept enlarg e.g 1 : 2.77 ['	gement 7] or 0.36 : 1		
7	(a)	(i)	360 ÷ 5	1	Accept longe	r correct methods		
		(ii)	$(180 - 72) \div 2$	M1	Accept [(5 –	2) × 180] or 360 / 5	5 <b>M</b> 1	
			$54 \times 2$	E1	Then ÷ 5	180 -	72 E1	
		(iii)	180 - 90 - 72	1	Accept other explained	methods provided	they are fully	
	(b)	2 × 7	7 × sin(72/2) oe	M2	M1 for $7 \times si$ <u>Alt methods</u> M2 for [ $DC^2$ or M1 for im or M2 for (7 sin or M1 for $DC$	in (72/2) oe =] $7^2 + 7^2 - 2.7.7$ of plicit version (72)/sin 54 C/sin 72 = 7/sin 54	cos 72 oe	
		8.22	8 to 8.229	<b>E</b> 1	Dep on M2 a	nd with no errors se	een	

Page 6		i	Mark Scheme			Syllabus	Paper	
			IGCSE – October/Nov	ember	r 2012 0581 41			
	r							
	(c)	(i) 1	23.3[0]	2	<b>M1</b> for $\frac{1}{2} \times 7$	$1 \times 7 \times \sin 72$ oe		
		(ii)	116.5 to 116.52 or 117	1 ft	ft their (c)(i)	× 5		
		(iii)	30.78 to 30.8	2	<b>M1</b> for 72/36	$0 \times \pi 7^2$		
		(iv)	12.66 to 12.67 or 12.7	2	<b>M1</b> for 7 + 7 e.g 8.23 cos5	cos 36 oe 4 + 8.23 sin72 oe	[7+5.66] [4.84+7.83]	
	(d)	1.43	or 1.432 to 1.453 cao	5	<b>B4</b> for area of rectangle = 168.3 to 169.2 www or area of triangular corners = 51.6 to 52.5 www or <b>B3</b> for 13.3 to 13.32 seen or <b>M2</b> for $[ZY =] 8.23 + 2(8.23\sin 18)$ oe or 2 (8.23 sin 54) or 2 × 7 sin 72 oe or <b>B1</b> for $[CY =] 2.54[3]$ or 5.08 to 5.09 seen or $[AX =] 6.65$ to 6.66 seen			
8	(a)	2x + x + 9	7 final answer final answer	2	B1 for each, accept in either order After 0 scored allow SC1 mark for both correc but unsimplified			
	(b)	2(2x) $2x^{2} +$	(x + 3)(x + 5) at any stage 3x + 10x + 15 or better	M1 B1	The $\times$ 2 could be embedded within one of the brackets e.g. $(4x + 6)(x + 5)$ Expands brackets correctly			
		$4x^{2} +$	26x + 30	<b>E</b> 1	No errors seen and two previous stages shown			
	(c)	(i) ·	$4x^2 + 26x - 45 = 0$ soi	<b>B</b> 1		-		
			$\frac{-26\pm\sqrt{(26)^2-4(4)(-45)}}{2(4)}$	B1 ft B1 ft	it ft their $4x^2 + 26x \pm k \ [k \neq 0]$ oe it In square root <b>B1 ft</b> for $(26)^2 - 4(4)(-45)$ or better (1396)			
					If in form $\frac{P}{-26}$ <b>B1 ft</b> for $-26$	$r \frac{\sqrt{q}}{r}$ or ; $\frac{p \sqrt{q}}{r}$ and 2(4) or better		
		-7.92	2, 1.42 final answers	B1 B1	1 If <b>B0</b> , <b>SC1</b> for -7.9 <b>and</b> 1.4 or <b>both</b> answers -7.920, 1.420 or for-7.92, 1.42 seen			
		(ii)	6.42 [0]	1 ft	ft their greate	st positive root		
					If their $x \le 2$	then ft $x + 5$		
					If their $x > 2$	then ft $2x + 3$		

Page 7			Mark Scheme			Syllabus	Paper	
	IGCSE – October/November 2012				2012	0581	41	
9	(a) $5.79 \times 10^7$ oe 5.21 39.5			1 1 1	Accept ans in range 57890000 to 57900000 5.207 39.50 or 39.51 Accept answers to greater than 3sf			
	(b) (	(i) 4 (ii) 3	498.6 to 499 328 or 328.3	2 2	<ul> <li>2 M1 for 1.496 × 10<sup>8</sup> ÷ 300 000</li> <li>2 M1 for figs 197 or figs 328[3] seen Or their 39.5 × their (b)(i)</li> </ul>			
	(c) 9	9.46[	0] to $9.461 \times 10^{12}$	3	<b>B2</b> for any co or <b>M1</b> for 300 or for answer	orrect equivalent 0 000 × 3600 × 24 × figs 946 to 9461	× 365 oe	
	(d) (	6320	0 or 63235 to 63242 oe	2	<b>M1</b> for figs (their (c) ÷ 1496). Implied by first 3 figs correct			