

ADVANCED GCE
MATHEMATICS
Probability & Statistics 2

4733

Candidates answer on the Answer Booklet

OCR Supplied Materials:

- 8 page Answer Booklet
- List of Formulae (MF1)

Other Materials Required:

- Scientific or graphical calculator

Tuesday 22 June 2010
Afternoon

Duration: 1 hour 30 minutes



INSTRUCTIONS TO CANDIDATES

- Write your name clearly in capital letters, your Centre Number and Candidate Number in the spaces provided on the Answer Booklet.
- Use black ink. Pencil may be used for graphs and diagrams only.
- Read each question carefully and make sure that you know what you have to do before starting your answer.
- Answer **all** the questions.
- Do **not** write in the bar codes.
- Give non-exact numerical answers correct to 3 significant figures unless a different degree of accuracy is specified in the question or is clearly appropriate.
- You are permitted to use a graphical calculator in this paper.

INFORMATION FOR CANDIDATES

- The number of marks is given in brackets [] at the end of each question or part question.
- **You are reminded of the need for clear presentation in your answers.**
- The total number of marks for this paper is **72**.
- This document consists of **4** pages. Any blank pages are indicated.

- 1 (i) The number of inhabitants of a village who are selected for jury service in the course of a 10-year period is a random variable with the distribution $Po(4.2)$.
- (a) Find the probability that in the course of a 10-year period, at least 7 inhabitants are selected for jury service. [2]
- (b) Find the probability that in 1 year, exactly 2 inhabitants are selected for jury service. [3]
- (ii) Explain why the number of inhabitants of the village who contract influenza in 1 year can probably not be well modelled by a Poisson distribution. [2]
- 2 A university has a large number of students, of whom 35% are studying science subjects. A sample of 10 students is obtained by listing all the students, giving each a serial number and selecting by using random numbers.
- (i) Find the probability that fewer than 3 of the sample are studying science subjects. [3]
- (ii) It is required that, in selecting the sample, the same student is not selected twice. Explain whether this requirement invalidates your calculation in part (i). [2]
- 3 Tennis balls are dropped from a standard height, and the height of bounce, H cm, is measured. H is a random variable with the distribution $N(40, \sigma^2)$. It is given that $P(H < 32) = 0.2$.
- (i) Find the value of σ . [3]
- (ii) 90 tennis balls are selected at random. Use an appropriate approximation to find the probability that more than 19 have $H < 32$. [6]
- 4 The proportion of commuters in a town who travel to work by train is 0.4. Following the opening of a new station car park, a random sample of 16 commuters is obtained, and 11 of these travel to work by train. Test at the 1% significance level whether there is evidence of an increase in the proportion of commuters in this town who travel to work by train. [7]
- 5 The time T seconds needed for a computer to be ready to use, from the moment it is switched on, is a normally distributed random variable with standard deviation 5 seconds. The specification of the computer says that the population mean time should be not more than 30 seconds.
- (i) A test is carried out, at the 5% significance level, of whether the specification is being met, using the mean \bar{t} of a random sample of 10 times.
- (a) Find the critical region for the test, in terms of \bar{t} . [4]
- (b) Given that the population mean time is in fact 35 seconds, find the probability that the test results in a Type II error. [3]
- (ii) Because of system degradation and memory load, the population mean time μ seconds increases with the number of months of use, m . A formula for μ in terms of m is $\mu = 20 + 0.6m$. Use this formula to find the value of m for which the probability that the test results in rejection of the null hypothesis is 0.5. [4]

- 6 (a) The random variable D has the distribution $\text{Po}(24)$. Use a suitable approximation to find $P(D > 30)$. [5]
- (b) An experiment consists of 200 trials. For each trial, the probability that the result is a success is 0.98, independent of all other trials. The total number of successes is denoted by E .
- (i) Explain why the distribution of E cannot be well approximated by a Poisson distribution. [1]
- (ii) By considering the number of failures, use an appropriate Poisson approximation to find $P(E \leq 194)$. [4]

- 7 A machine is designed to make paper with mean thickness 56.80 micrometres. The thicknesses, x micrometres, of a random sample of 300 sheets are summarised by

$$n = 300, \quad \Sigma x = 17\,085.0, \quad \Sigma x^2 = 973\,847.0.$$

Test, at the 10% significance level, whether the machine is producing paper of the designed thickness. [11]

- 8 The continuous random variable X has probability density function given by

$$f(x) = \begin{cases} kx^{-a} & x \geq 1, \\ 0 & \text{otherwise,} \end{cases}$$

where k and a are constants and a is greater than 1.

- (i) Show that $k = a - 1$. [3]
- (ii) Find the variance of X in the case $a = 4$. [5]
- (iii) It is given that $P(X < 2) = 0.9$. Find the value of a , correct to 3 significant figures. [4]

**Copyright Information**

OCR is committed to seeking permission to reproduce all third-party content that it uses in its assessment materials. OCR has attempted to identify and contact all copyright holders whose work is used in this paper. To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced in the OCR Copyright Acknowledgements Booklet. This is produced for each series of examinations, is given to all schools that receive assessment material and is freely available to download from our public website (www.ocr.org.uk) after the live examination series.

If OCR has unwittingly failed to correctly acknowledge or clear any third-party content in this assessment material, OCR will be happy to correct its mistake at the earliest possible opportunity. For queries or further information please contact the Copyright Team, First Floor, 9 Hills Road, Cambridge CB2 1GE.

OCR is part of the Cambridge Assessment Group; Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.