



General Certificate of Education

Mathematics 6360

MM2B Mechanics 2B

Mark Scheme

2007 examination - June series

Mark schemes are prepared by the Principal Examiner and considered, together with the relevant questions, by a panel of subject teachers. This mark scheme includes any amendments made at the standardisation meeting attended by all examiners and is the scheme which was used by them in this examination. The standardisation meeting ensures that the mark scheme covers the candidates' responses to questions and that every examiner understands and applies it in the same correct way. As preparation for the standardisation meeting each examiner analyses a number of candidates' scripts: alternative answers not already covered by the mark scheme are discussed at the meeting and legislated for. If, after this meeting, examiners encounter unusual answers which have not been discussed at the meeting they are required to refer these to the Principal Examiner.

It must be stressed that a mark scheme is a working document, in many cases further developed and expanded on the basis of candidates' reactions to a particular paper. Assumptions about future mark schemes on the basis of one year's document should be avoided; whilst the guiding principles of assessment remain constant, details will change, depending on the content of a particular examination paper.

Further copies of this Mark Scheme are available to download from the AQA Website: www.aqa.org.uk

Copyright © 2007 AQA and its licensors. All rights reserved.

COPYRIGHT

AQA retains the copyright on all its publications. However, registered centres for AQA are permitted to copy material from this booklet for their own internal use, with the following important exception: AQA cannot give permission to centres to photocopy any material that is acknowledged to a third party even for internal use within the centre.

Set and published by the Assessment and Qualifications Alliance.

Key to mark scheme and abbreviations used in marking

M	mark is for method		
m or dM	mark is dependent on one or more M marks and is for method		
A	mark is dependent on M or m marks and is for accuracy		
B	mark is independent of M or m marks and is for method and accuracy		
E	mark is for explanation		
✓ or ft or F	follow through from previous incorrect result	MC	mis-copy
CAO	correct answer only	MR	mis-read
CSO	correct solution only	RA	required accuracy
AWFW	anything which falls within	FW	further work
AWRT	anything which rounds to	ISW	ignore subsequent work
ACF	any correct form	FIW	from incorrect work
AG	answer given	BOD	given benefit of doubt
SC	special case	WR	work replaced by candidate
OE	or equivalent	FB	formulae book
A2,1	2 or 1 (or 0) accuracy marks	NOS	not on scheme
-x EE	deduct x marks for each error	G	graph
NMS	no method shown	c	candidate
PI	possibly implied	sf	significant figure(s)
SCA	substantially correct approach	dp	decimal place(s)

No Method Shown

Where the question specifically requires a particular method to be used, we must usually see evidence of use of this method for any marks to be awarded. However, there are situations in some units where part marks would be appropriate, particularly when similar techniques are involved. Your Principal Examiner will alert you to these and details will be provided on the mark scheme.

Where the answer can be reasonably obtained without showing working and it is very unlikely that the correct answer can be obtained by using an incorrect method, we must award **full marks**. However, the obvious penalty to candidates showing no working is that incorrect answers, however close, earn **no marks**.

Where a question asks the candidate to state or write down a result, no method need be shown for full marks.

Where the permitted calculator has functions which reasonably allow the solution of the question directly, the correct answer without working earns **full marks**, unless it is given to less than the degree of accuracy accepted in the mark scheme, when it gains **no marks**.

Otherwise we require evidence of a correct method for any marks to be awarded.

MM2B

Q	Solution	Marks	Total	Comments	
1(a)	Kinetic energy = $\frac{1}{2} \times 5 \times 10^2$ = 250 J	M1	2	Full method	
		A1			
	(b)	Using conservation of energy: KE when box hits ground = Initial KE + Change in potential energy = $250 + 5 \times 30 \times g$ = 1720 J	M1	3	Could have sign errors AG; SC2 $5 \times 35.1 \times g = 1720$
			A1ft A1		
(c)	$\frac{1}{2}mV^2 = 1720$ $V^2 = 688$ $\therefore$ Speed is 26.2 m s^{-1}	M1	3	CAO; accept $\sqrt{688}$ or $4\sqrt{43}$; SC2 26.3	
		A1			
		A1			
(d)	No air resistance Box is a particle	E1	2	Or no resistance forces Deduct 1 mark for unacceptable third reason	
		E1			
	Total		10		
2(a)	Symmetry of the lamina about PQ	E1	1	Accept ‘mirror line’	
(b)	Taking moments about AB : $600\rho \times 15 + 100\rho \times 35$ = $700\rho\bar{x}$ $\bar{x} = 17.857 = 17.9 \text{ cm}$	M1A1	4	Condone lack of ρ SC3 17.8	
		A1			
		A1			
(c)	$\tan \theta = \frac{10}{17.857}$ = 0.56 Angle is $29.2488\dots$ = 29°	M1A1	4	M1 for use of $\tan \theta$	
		M1			
		A1			
	Total		9		

MM2B (cont)

Q	Solution	Marks	Total	Comments
3(a)	Using $F = ma$: $2400\mathbf{i} - 4800t\mathbf{j} = 800\mathbf{a}$ $\mathbf{a} = 3\mathbf{i} - 6t\mathbf{j}$	M1 A1	2	
(b)	$\mathbf{v} = \int \mathbf{a} \, dt$ $= 3t\mathbf{i} - 3t^2\mathbf{j} + \mathbf{c}$ When $t = 0$, $\mathbf{v} = 6\mathbf{i} + 30\mathbf{j}$ $\therefore \mathbf{c} = 6\mathbf{i} + 30\mathbf{j}$ $\therefore \mathbf{v} = (3t + 6)\mathbf{i} + (30 - 3t^2)\mathbf{j}$	M1 A1 M1 A1	4	Condone no '+ c' Needs '+ c' above AG
(c)	$\mathbf{r} = \int \mathbf{v} \, dt$ $= (\frac{3}{2}t^2 + 6t)\mathbf{i} + (30t - t^3)\mathbf{j} + \mathbf{d}$ When $t = 0$, $\mathbf{r} = 2\mathbf{i} + 5\mathbf{j}$ $\therefore \mathbf{d} = 2\mathbf{i} + 5\mathbf{j}$ $\therefore \mathbf{r} = (\frac{3}{2}t^2 + 6t + 2)\mathbf{i} + (30t - t^3 + 5)\mathbf{j}$	M1 A1,A1 M1 A1	5	A1 i term, A1 j term; condone no '+ d'
Total			11	
4(a)	Centre of mass of rod is 3 m from river bank Taking moments about A, edge of bank: $3 \times 15 = 50x$ $x = 0.9$	B1 M1 A1	3	Use of centre of mass is centre of rod Or resolve $R = 65g$ B1 Moments about any point (correct) M1 0.9 A1
(b)	Taking moments about A: $50 \times 2 = 15 \times 3 + m \times 8$ $55 = 8m$ $m = 6\frac{7}{8}$ Mass is $6\frac{7}{8}$ kg	M1A1 A1 A1	4	M1 3 terms, 2 correct Accept 6.88 and 6.87
(c)	Centre of mass of rod is 3 m from river bank	E1	1	Centre of mass is at centre of rod
(d)	eg Woman is a particle The mass is a particle The plank is a rigid rod	E1	1	
Total			9	

MM2B (cont)

Q	Solution	Marks	Total	Comments
5(a)	Using conservation of energy (lowest and highest points): $\frac{1}{2}m(7v)^2 = \frac{1}{2}mv^2 + 2mga$ $\frac{48}{2}v^2 = 2ga$ $\therefore v = \sqrt{\frac{ag}{12}}$	M1 A1A1 M1 A1	5	A1 for 7v and v Needs 48 or 24 AG
(b)	Velocity at A is $\sqrt{\frac{ag}{12}}$ Resolving vertically at A: $m\frac{v^2}{a} + R = mg$ $R = mg - \frac{m}{a} \times \frac{ag}{12}$ $= \frac{11}{12}mg$	M1 A1,A1 A1	4	3 terms A1 correct 3 terms, A1 correct signs $\left(1 - \frac{1}{12}\right)mg$ M1A2 Condone $-\frac{11}{12}mg$
Total			9	
6(a)	EPE is $\frac{\lambda x^2}{2l}$ $= \frac{200(0.5)^2}{2 \times 2}$ $= 12.5 \text{ J}$	M1 A1	2	
(b)	When string becomes slack, using $\frac{1}{2}mv^2 = \text{loss in EPE}$: $\frac{1}{2} \times 5 \times v^2 = 12.5$ Speed is $\sqrt{5} \text{ m s}^{-1}$	M1 A1 A1	3	NB Using $\sqrt{5}$ to answer (a) and thus (b) $\Rightarrow$ no marks AG
(c)	Resolving vertically, $R = 5g$ $F = \mu R$ $0.4 \times 5g = 2g$ Using change in energy = work done: $2g \times 0.5 =$ $\frac{1}{2} \times 5 \times \left(\sqrt{5}^2\right) - \frac{1}{2} \times 5 \times v^2$ $9.8 = 12.5 - \frac{5}{2}v^2$ $v^2 = 1.08$ Speed is 1.04 m s^{-1}	B1 M1 M1 M1 A1,A1 A1	7	M1 for force $\times$ distance A1 first term (or 12.5) A1 second term (inc $-$)
Total			12	

MM2B (cont)

Q	Solution	Marks	Total	Comments
7(a)	Using $F = ma$: $-\lambda mv = ma = m \frac{dv}{dt}$ $\therefore \frac{dv}{dt} = -\lambda v$	M1 A1	2	Condone no ‘-’ AG Note: no use of $m \Rightarrow$ no marks in (a)
(b)	$\int \frac{dv}{v} = -\lambda \int dt$ $\ln v = -\lambda t + c$ $v = C e^{-\lambda t}$ When $t = 0, v = U \Rightarrow C = U$ $v = U e^{-\lambda t}$	M1 A1 M1 A1	4	Needs ‘+ c’ Needs correct working AG
	Total		6	
8(a)	Q is in equilibrium $T = 5g = 49 \text{ N}$	E1 B1	2	Q at rest, or not moving AG
(b)	Resolving vertically for P : $T \cos \theta = 3g$ $\cos \theta = \frac{3}{5}$ $\theta = \cos^{-1} \frac{3}{5} = 53.1^\circ$	M1A1 A1	3	Do not condone 53°
(c)	$\therefore \sin \theta = \frac{4}{5}$ Resolving horizontally for P : $\frac{mv^2}{r} = T \sin \theta$ $\frac{3v^2}{r} = \frac{4}{5} \times 5g$ $\frac{3 \times 4^2}{r} = 4g$ $r = \frac{48}{4g}$ $= 1.22$	B1 M1A1 A1	4	M1 2 terms: 1 term correct, other term includes sin or cos SC3 1.23
	Total		9	
	TOTAL		75	