Centre Number			Candidate Number		
Surname					
Other Names					
Candidate Signature					



General Certificate of Education Advanced Subsidiary Examination January 2012

Mathematics

MPC2

Unit Pure Core 2

Friday 13 January 2012 9.00 am to 10.30 am

For this paper you must have:

• the blue AQA booklet of formulae and statistical tables. You may use a graphics calculator.

Time allowed

• 1 hour 30 minutes

Instructions

- Use black ink or black ball-point pen. Pencil should only be used for drawing.
- Fill in the boxes at the top of this page.
- Answer all questions.
- Write the question part reference (eg (a), (b)(i) etc) in the left-hand margin.
- You must answer the questions in the spaces provided. Do not write outside the box around each page.
- Show all necessary working; otherwise marks for method may be lost
- Do all rough work in this book. Cross through any work that you do not want to be marked.

Information

- The marks for questions are shown in brackets.
- The maximum mark for this paper is 75.

Advice


- Unless stated otherwise, you may quote formulae, without proof, from the booklet.
- You do not necessarily need to use all the space provided.

For Exam	iner's Use
Examine	r's Initials
Question	Mark
1	
2	
3	
4	
5	
6	
7	
8	
9	
TOTAL	



Answer all questions in the spaces provided.

1 The diagram shows a sector *OAB* of a circle with centre *O* and radius 6 cm.



The angle between the radii OA and OB is θ radians.

The area of the sector OAB is 21.6 cm^2 .

(a) Find the value of θ . (2 marks)

(b) Find the length of the arc AB. (2 marks)

QUESTION	
PART	
REFERENCE	



QUESTION PART REFERENCE	
•••••	
•••••	
•••••	
•••••	
•••••	
•••••	
•••••	
•••••	
•••••	
•••••	
•••••	



2 (a) Use the trapezium rule with five ordinates (four strips) to find an approximate value for

$$\int_0^4 \frac{2^x}{x+1} \, \mathrm{d}x$$

giving your answer to three significant figures.

(4 marks)

(b) State how you could obtain a better approximation to the value of the integral using the trapezium rule. (1 mark)

QUESTION	
PART REFERENCE	
•••••	
• • • • • • • • • • • • • • • • • • • •	
• • • • • • • • • • • • • • • • • • • •	
• • • • • • • • • • • • • • • • • • • •	
• • • • • • • • • •	
• • • • • • • • • • • • • • • • • • • •	



QUESTION PART REFERENCE	
•••••	
•••••	
•••••	
•••••	
•••••	
•••••	
•••••	
•••••	
•••••	
•••••	
•••••	



3 (a		$\sqrt[4]{x^3}$ in the form x^k .		(1 mark)
(b) Write	$\frac{1-x^2}{\sqrt[4]{x^3}}$ in the form x^p	$-x^q$.	(2 marks)
QUESTION PART				
REFERENCE				
•••••				
•••••	• • • • • • • • • • • • • • • • • • • •	•••••		




QUESTION PART REFERENCE	
•••••	
••••••	
••••••	
•••••	
••••••	
•••••	



The triangle ABC, shown in the diagram, is such that AB is 10 metres and angle BAC is 150° .

8



The area of triangle ABC is $40 \,\mathrm{m}^2$.

(a) Show that the length of AC is 16 metres.

(2 marks)

- (b) Calculate the length of BC, giving your answer, in metres, to two decimal places.

 (3 marks)
- (c) Calculate the smallest angle of triangle ABC, giving your answer to the nearest 0.1°.

 (3 marks)

QUESTION PART REFERENCE	
KEFEKENCE	



QUESTION PART REFERENCE	
••••••	
••••••	
••••••	
•••••	
•••••	
•••••	



- **5 (a) (i)** Describe the geometrical transformation that maps the graph of $y = \left(1 + \frac{x}{3}\right)^6$ onto the graph of $y = (1 + 2x)^6$.
 - (ii) The curve $y = \left(1 + \frac{x}{3}\right)^6$ is translated by the vector $\begin{bmatrix} 3 \\ 0 \end{bmatrix}$ to give the curve y = g(x). Find an expression for g(x), simplifying your answer. (2 marks)
 - (b) The first four terms in the binomial expansion of $\left(1 + \frac{x}{3}\right)^6$ are $1 + ax + bx^2 + cx^3$. Find the values of the constants a, b and c, giving your answers in their simplest form. (4 marks)

QUESTION PART REFERENCE	
•••••	
•••••	
••••••	
••••••	
•••••	
•••••	



QUESTION PART REFERENCE	
••••••	
••••••	
•••••	
•••••	
•••••	
•••••	



6	An arithmetic series has first term a and common difference d .	
	The sum of the first 25 terms of the series is 3500.	
(a	Show that $a + 12d = 140$.	(3 marks)
(b	The fifth term of this series is 100.	
	Find the value of d and the value of a .	(4 marks)
(c	The n th term of this series is u_n . Given that	
	$33\left(\sum_{n=1}^{25} u_n - \sum_{n=1}^k u_n\right) = 67\sum_{n=1}^k u_n$	
	find the value of $\sum_{n=1}^{k} u_n$.	(3 marks)
QUESTION PART		
REFERENCE		
• • • • • • • • • • • • • • • • • • • •		
•••••		
•••••		
•••••		



QUESTION PART REFERENCE	
•••••	
•••••	
•••••	
•••••	
•••••	



- 7 (a) Sketch the graph of $y = \frac{1}{2^x}$, indicating the value of the intercept on the y-axis.

 (2 marks)
 - (b) Use logarithms to solve the equation $\frac{1}{2^x} = \frac{5}{4}$, giving your answer to three significant figures. (3 marks)
 - (c) Given that

$$\log_a(b^2) + 3\log_a y = 3 + 2\log_a\left(\frac{y}{a}\right)$$

express y in terms of a and b.

Give your answer in a form not involving logarithms.

(5 marks)

QUESTION PART REFERENCE	
PART	
REFERENCE	
1	
· · · · · · · · · · · · · · · · · · ·	
• • • • • • • • •	• • • • • • • • • • • • • • • • • • • •
1	



QUESTION PART REFERENCE	
•••••	
•••••	
•••••	
•••••	
•••••	



8 (a)	Given that $2 \sin \theta = 7 \cos \theta$ find the value of $\tan \theta$	(2 marks)

(b) (i) Use an appropriate identity to show that the equation

$$6\sin^2 x = 4 + \cos x$$

can be written as

$$6\cos^2 x + \cos x - 2 = 0 \tag{2 marks}$$

(ii) Hence solve the equation $6 \sin^2 x = 4 + \cos x$ in the interval $0^{\circ} < x < 360^{\circ}$, giving your answers to the nearest degree. (6 marks)


QUESTION PART REFERENCE	
•••••	
•••••	
•••••	
•••••	



QUESTION PART REFERENCE	



The diagram shows part of a curve crossing the x-axis at the origin O and at the point A(8, 0). Tangents to the curve at O and A meet at the point P, as shown in the diagram.



The curve has equation

$$y = 12x - 3x^{\frac{5}{3}}$$

(a) Find $\frac{dy}{dx}$. (2 marks)

- (b) (i) Find the value of $\frac{dy}{dx}$ at the point O and hence write down an equation of the tangent at O. (2 marks)
 - (ii) Show that the equation of the tangent at A(8, 0) is y + 8x = 64. (3 marks)

(c) Find
$$\int \left(12x - 3x^{\frac{5}{3}}\right) dx$$
. (3 marks)

(d) Calculate the area of the shaded region bounded by the curve from O to A and the tangents OP and AP. (7 marks)

QUESTION PART	
DADT	
FAIN	
REFERENCE	

QUESTION PART REFERENCE	
REFERENCE	
•••••	
•••••	
•••••	
•••••	
•••••	



PART	
QUESTION PART REFERENCE	
• • • • • • • • • • • • • • • • • • • •	
• • • • • • • • • • • • • • • • • • • •	
• • • • • • • • • •	
• • • • • • • • • • • • • • • • • • • •	
• • • • • • • • • • • • • • • • • • • •	
• • • • • • • • • • • • • • • • • • • •	
• • • • • • • • • • • • • • • • • • • •	
• • • • • • • • • •	
• • • • • • • • • • • • • • • • • • • •	
• • • • • • • • • • • • • • • • • • • •	
	END OF QUESTIONS
	LIED OF MOLDHOID
Copyric	ht © 2012 AQA and its licensors. All rights reserved.

