Centre Number			Candidate Number		
Surname					
Other Names					
Candidate Signature					

A		C	A	1
	7	~&		

General Certificate of Education Advanced Subsidiary Examination January 2013

Mathematics

MS/SS1A/W

Unit Statistics 1A

Statistics

Unit Statistics 1A

Friday 18 January 2013 1.30 pm to 2.45 pm

For this paper you must have:

• the blue AQA booklet of formulae and statistical tables. You may use a graphics calculator.

Time allowed

1 hour 15 minutes

Instructions

- Use black ink or black ball-point pen. Pencil should only be used for drawing.
- Fill in the boxes at the top of this page.
- Answer all questions.
- Write the question part reference (eg (a), (b)(i) etc) in the left-hand margin.
- You must answer each question in the space provided for that question. If you require extra space, use an AQA supplementary answer book; do not use the space provided for a different question.
- Do not write outside the box around each page.
- Show all necessary working; otherwise marks for method may be lost.
- Do all rough work in this book. Cross through any work that you do not want to be marked.
- The final answer to questions requiring the use of tables or calculators should normally be given to three significant figures.

Information

- The marks for questions are shown in brackets.
- The maximum mark for this paper is 60.
- Unit Statistics 1A has a written paper and coursework.

Advice

- Unless stated otherwise, you may quote formulae, without proof, from the booklet.
- You do not necessarily need to use all the space provided.



For Examiner's Use

Examiner's Initials

Mark

Question

1

2

3

4

5

6

7

TOTAL

Answer all questions.

Answer each question in the space provided for that question.

Bob, a church warden, decides to investigate the lifetime of a particular manufacturer's brand of beeswax candle. Each candle is 30 cm in length.

From a box containing a large number of such candles, he selects one candle at random. He lights the candle and, after it has burned continuously for x hours, he records its length, y cm, to the nearest centimetre. His results are shown in the table.

x	5	10	15	20	25	30	35	40	45
у	27	25	21	19	16	11	9	5	2

- State the value that you would **expect** for a in the equation of the least squares regression line, y = a + bx. (1 mark)
- (b) (i) Calculate the equation of the least squares regression line, y = a + bx. (4 marks)
 - (ii) Interpret the value that you obtain for b. (2 marks)
 - (iii) It is claimed by the candle manufacturer that the total length of time that such candles are likely to burn for is more than 50 hours.

Comment on this claim, giving a numerical justification for your answer. (2 marks)

QUESTION PART REFERENCE	Answer space for question 1
•••••	



QUESTION PART REFERENCE	Answer space for question 1
•••••	
•••••	
•••••	
••••••	
••••••	
••••••	
•••••	
••••••	
••••••	
• • • • • • • • • • • • • • • • • • • •	



2		The volume, V litres, of <i>Cleanall</i> washing-up liquid in a 5-litre container may be modelled by a normal distribution with a mean, μ , of 5.028 and a standard deviation of 0.015.	n
(a)	Determine the probability that the volume of <i>Cleanall</i> in a randomly selected 5-litrocontainer is:	e
	(i)	less than 5.04 litres;	
	(ii)	more than 5 litres. (5 mar.	ks)
(b)	Determine the value of v such that $P(\mu - v < V < \mu + v) = 0.95$. (4 mar.)	ks)
QUESTION PART REFERENCE	Ans	swer space for question 2	
	•••••		••••
• • • • • • • • • • • • • • • • • • • •	•••••		••••
	•••••		••••
	•••••		••••
	•••••		••••
	•••••		••••
	•••••		••••
	•••••		••••
	•••••		••••
	•••••		••••
	•••••		••••
	•••••		••••
	•••••		••••
	•••••		••••
	•••••		••••
	•••••		••••
	•••••		••••



QUESTION PART REFERENCE	Answer space for question 2
•••••	
•••••	
•••••	
•••••	
•••••	
•••••	
•••••	
•••••	
•••••	
•••••	
•••••	
•••••	
•••••	
•••••	
••••••	
••••••	
••••••	
•••••	
••••••	
•••••	
••••••	



3		Stopoff owns a chain of hotels. Guests are presented with the bills for their stays when they check out.
		The number of bills that contain errors may be modelled by a binomial distribution with parameters n and p , where $p = 0.30$.
	Ι	Determine the probability that, in a random sample of 40 bills:
(a	a) a	at most 10 bills contain errors;
(b	o) a	at least 15 bills contain errors;
(с	:) a	at least 6 bills but at most 18 bills contain errors. (7 marks)
QUESTION PART PEFERENCE	Answ	ver space for question 3
••••••		
•••••		
•••••		
•••••		
•••••		
•••••		
••••••		
••••••		
•••••		
••••••		
••••••		
•••••		
•••••		
•••••		
••••••		
•••••		
•••••		



QUESTION PART REFERENCE	Answer space for question 3
•••••	
•••••	
•••••	
•••••	
•••••	
•••••	
•••••	
•••••	
•••••	
•••••	
•••••	
•••••	
•••••	
•••••	
••••••	
••••••	
••••••	
••••••	
•••••	
••••••	
•••••	



- **4 (a)** Give **one** possible advantage of plotting data on a graph before calculating the value of a product moment correlation coefficient. (1 mark)
 - (b) The raw marks, x and y, achieved by each of a random sample of 25 students on two statistics examination papers were recorded. The maximum mark for each paper was 50.

For these marks,

$$S_{xx} = 5336.96$$
 $S_{yy} = 4169.76$ $S_{xy} = 2715.36$

- (i) Calculate the value of the product moment correlation coefficient, r_{xy} , between x and y. (2 marks)
- (ii) Interpret your value of r_{xy} in the context of this question. (2 marks)
- (iii) Ana, the class teacher, working with the same data, first used linear scaling to change the raw marks, x and y, into percentage marks, u and v, and then calculated the value of r_{uv} .

State whether Ana's value of r_{uv} should be greater than, equal to or less than the value of r_{xv} . (1 mark)

QUESTION PART REFERENCE	Answer space for question 4



QUESTION PART REFERENCE	Answer space for question 4
•••••	
•••••	
•••••	
•••••	
•••••	
•••••	
•••••	
•••••	
•••••	
•••••	
••••••	
••••••	
•••••	
•••••	
•••••	
•••••	
•••••	
•••••	
•••••	
• • • • • • • • • • • • • • • • • • • •	



Roger is an active retired lecturer. Each day after breakfast, he decides whether the weather for that day is going to be fine (F), dull (D) or wet (W). He then decides on only one of four activities for the day: cycling (C), gardening (G), shopping (S) or relaxing (R). His decisions from day to day may be assumed to be independent.

The table shows Roger's probabilities for each combination of weather and activity.

		Weather				
		Fine (F)	Dull (D)	Wet (W)		
	Cycling (C)	0.30	0.10	0		
Activity	Gardening (G)	0.25	0.05	0		
Activity	Shopping (S)	0	0.10	0.05		
	Relaxing (R)	0	0.05	0.10		

- (a) Find the probability that, on a particular day, Roger decided:
 - (i) that it was going to be fine and that he would go cycling;
 - (ii) on either gardening or shopping;
 - (iii) to go cycling, given that he had decided that it was going to be fine;
 - (iv) that it was going to be fine, given that he did **not** go cycling. (7 marks)
- (b) Calculate the probability that, on a particular Saturday and Sunday, Roger decided that it was going to be fine and decided on the same activity for both days.

(3 marks)

QUESTION PART REFERENCE	Answer space for question 5
•••••	
•••••	
•••••	



QUESTION PART REFERENCE	Answer space for question 5
•••••	
•••••	
•••••	
•••••	
••••••	



QUESTION PART REFERENCE	Answer space for question 5



QUESTION PART REFERENCE	Answer space for question 5
•••••	
•••••	
•••••	
•••••	
••••••	



6 (a)	The length of one-metre galvanised-steel straps used in house building may modelled by a normal distribution with a mean of 1005 mm and a standard of 15 mm.	
		The straps are supplied to house builders in packs of 12, and the straps in a may be assumed to be a random sample.	pack
		Determine the probability that the mean length of straps in a pack is less thone metre.	nan (4 marks)
(b)		Tania, a purchasing officer for a nationwide house builder, measures the th x millimetres, of each of a random sample of 24 galvanised-steel straps sup manufacturer. She then calculates correctly that the value of \overline{x} is 4.65 mm.	plied by a
	(i)	Assuming that the thickness, X mm, of such a strap may be modelled by the distribution $N(\mu, 0.15^2)$, construct a 99% confidence interval for μ .	e (4 marks)
	(ii)	Hence comment on the manufacturer's specification that the mean thickness straps is greater than 4.5 mm.	s of such (2 marks)
QUESTION	Δne	wer space for question 6	
REFERENCE	Alls	wer space for question o	
	••••••		••••••
	•••••		••••••
	••••••		••••••
	••••••		•••••



QUESTION PART REFERENCE	Answer space for question 6
•••••	
••••••	
•••••	



A machine, which cuts bread dough for loaves, can be adjusted to cut dough to any specified set weight. For any set weight, μ grams, the actual weights of cut dough are known to be approximately normally distributed with a mean of μ grams and a fixed standard deviation of σ grams.

It is also known that the machine cuts dough to within 10 grams of any set weight.

(a) Estimate, with justification, a value for σ .

(2 marks)

(b) The machine is set to cut dough to a weight of 415 grams.

As a training exercise, Sunita, the quality control manager, asked Dev, a recently employed trainee, to record the weight of each of a random sample of 15 such pieces of dough selected from the machine's output. She then asked him to calculate the mean and the standard deviation of his 15 recorded weights.

Dev subsequently reported to Sunita that, for his sample, the mean was 391 grams and the standard deviation was 95.5 grams.

Advise Sunita on whether or not **each** of Dev's values is likely to be correct. Give numerical support for your answers. (3 marks)

(c) Maria, an experienced quality control officer, recorded the weight, y grams, of each of a random sample of 10 pieces of dough selected from the machine's output when it was set to cut dough to a weight of 820 grams. Her summarised results were as follows.

$$\sum y = 8210.0$$
 and $\sum (y - \overline{y})^2 = 110.00$

Explain, with numerical justifications, why **both** of these values are likely to be correct. (4 marks)

QUESTION PART REFERENCE	Answer space for question 7



QUESTION PART REFERENCE	Answer space for question 7
•••••	
•••••	
	END OF QUESTIONS













