



General Certificate of Secondary Education

Science A 4405 / Physics 4403

PH1FP

Unit Physics P1

Mark Scheme

2012 Examination – January Series

Mark schemes are prepared by the Principal Examiner and considered, together with the relevant questions, by a panel of subject teachers. This mark scheme includes any amendments made at the standardisation meeting attended by all examiners and is the scheme which was used by them in this examination. The standardisation meeting ensures that the mark scheme covers the students' responses to questions and that every examiner understands and applies it in the same correct way. As preparation for the standardisation meeting each examiner analyses a number of students' scripts: alternative answers not already covered by the mark scheme are discussed at the meeting and legislated for. If, after this meeting, examiners encounter unusual answers which have not been discussed at the meeting they are required to refer these to the Principal Examiner.

It must be stressed that a mark scheme is a working document, in many cases further developed and expanded on the basis of students' reactions to a particular paper. Assumptions about future mark schemes on the basis of one year's document should be avoided; whilst the guiding principles of assessment remain constant, details will change, depending on the content of a particular examination paper.

Further copies of this Mark Scheme are available to download from the AQA Website: www.aqa.org.uk

Copyright © 2012 AQA and its licensors. All rights reserved.

COPYRIGHT

AQA retains the copyright on all its publications. However, registered schools / colleges for AQA are permitted to copy material from this booklet for their own internal use, with the following important exception: AQA cannot give permission to schools / colleges to photocopy any material that is acknowledged to a third party even for internal use within the school / college.

Set and published by the Assessment and Qualifications Alliance.

Marking Guidance for Examiners

GCSE Science Papers

1. General

The mark scheme for each question shows:

- the marks available for each part of the question
- the total marks available for the question
- the typical answer or answers which are expected
- extra information to help the Examiner make his or her judgement and help to delineate what is acceptable or not worthy of credit or, in discursive answers, to give an overview of the area in which a mark or marks may be awarded.

The extra information is aligned to the appropriate answer in the left-hand part of the mark scheme and should only be applied to that item in the mark scheme.

At the beginning of a part of a question a reminder may be given, for example:

where consequential marking needs to be considered in a calculation;

or the answer may be on the diagram or at a different place on the script.

In general the right hand side of the mark scheme is there to provide those extra details which confuse the main part of the mark scheme yet may be helpful in ensuring that marking is straightforward and consistent.

2. Emboldening

- 2.1** In a list of acceptable answers where more than one mark is available ‘any **two** from’ is used, with the number of marks emboldened. Each of the following lines is a potential mark.
- 2.2** A bold **and** is used to indicate that both parts of the answer are required to award the mark.
- 2.3** Alternative answers acceptable for a mark are indicated by the use of **or**. (Different terms in the mark scheme are shown by a / ; eg allow smooth / free movement.)

3. Marking points

3.1 Marking of lists

This applies to questions requiring a set number of responses, but for which students have provided extra responses. The general principle to be followed in such a situation is that ‘right + wrong = wrong’.

Each error/contradiction negates each correct response. So, if the number of error/contradictions equals or exceeds the number of marks available for the question, no marks can be awarded.

However, responses considered to be neutral (indicated as * in example 1) are not penalised.

Example 1: What is the pH of an acidic solution? (1 mark)

Student	Response	Marks awarded
1	4,8	0
2	green, 5	0
3	red*, 5	1
4	red*, 8	0

Example 2: Name two planets in the solar system. (2 marks)

Student	Response	Marks awarded
1	Pluto, Mars, Moon	1
2	Pluto, Sun, Mars, Moon	0

3.2 Use of chemical symbols / formulae

If a student writes a chemical symbol / formula instead of a required chemical name, full credit can be given if the symbol / formula is correct and if, in the context of the question, such action is appropriate.

3.3 Marking procedure for calculations

Full marks can be given for a correct numerical answer, as shown in the column 'answers', without any working shown.

However if the answer is incorrect, mark(s) can be gained by correct substitution / working and this is shown in the 'extra information' column;

3.4 Interpretation of 'it'

Answers using the word 'it' should be given credit only if it is clear that the 'it' refers to the correct subject.

3.5 Errors carried forward

Any error in the answers to a structured question should be penalised once only.

Papers should be constructed in such a way that the number of times errors can be carried forward are kept to a minimum. Allowances for errors carried forward are most likely to be restricted to calculation questions and should be shown by the abbreviation e.c.f. in the marking scheme.

3.6 Phonetic spelling

The phonetic spelling of correct scientific terminology should be credited **unless** there is a possible confusion with another technical term.

3.7 Brackets

(.....) are used to indicate information which is not essential for the mark to be awarded but is included to help the examiner identify the sense of the answer required.

Quality of Written Communication and levels marking

In Question 8(b) students are required to produce extended written material in English, and will be assessed on the quality of their written communication as well as the standard of the scientific response.

Students will be required to:

- use good English
- organise information clearly
- use specialist vocabulary where appropriate.

The following general criteria should be used to assign marks to a level:

Level 1: basic

- Knowledge of basic information
- Simple understanding
- The answer is poorly organised, with almost no specialist terms and their use demonstrating a general lack of understanding of their meaning, little or no detail
- The spelling, punctuation and grammar are very weak.

Level 2: clear

- Knowledge of accurate information
- Clear understanding
- The answer has some structure and organisation, use of specialist terms has been attempted but not always accurately, some detail is given
- There is reasonable accuracy in spelling, punctuation and grammar, although there may still be some errors.

Level 3: detailed

- Knowledge of accurate information appropriately contextualised
- Detailed understanding, supported by relevant evidence and examples
- Answer is coherent and in an organised, logical sequence, containing a wide range of appropriate or relevant specialist terms used accurately.
- The answer shows almost faultless spelling, punctuation and grammar.

PH1FP**Question 1**

question	answers	extra information	mark
1(a) A	normal		1
1(b) A	be halved		1
1(c) A	upright virtual		1 1
Total			4

PH1FP

Question 2

question	answers	extra information	mark
2(a)(i) G	X-ray(s)		1
2(a)(ii) A	gamma rays		1
2(a)(iii) A	infrared		1
2(b) A	the same speed as		1
2(c)(i) E	horizontal arrow drawn pointing to the right	judge by eye accept drawn anywhere on diagram	1
2(c)(ii) A	Y		1
2(c)(iii) E	any one from: - any type of electromagnetic wave - water (wave) (earthquake / seismic) S waves	accept electromagnetic wave(s) do not accept seismic waves do not accept P waves do not accept earthquakes	1

Question 2 continues on the next page . . .

PH1FP

Question 2 continued . . .

question	answers	extra information	mark
2(d)(i) E clip with 2(d)(ii)	3		1
2(d)(ii) E clip with 2(d)(i)	3.6 or their (d)(i) $\times$ 1.2 correctly calculated	$v = f \times \lambda$ allow 1 mark for correct substitution ie 3 or their (d)(i) $\times$ 1.2 provided that no subsequent step is shown	2
Total			10

PH1FP

Question 3

question	answers	extra information	mark
3(a)(i) G	light (energy)	this answer only	1
3(a)(ii) E	raises its temperature	accept warms / heats it accept air molecules / particles gain energy / move faster do not accept heat do not accept pollution	1
3(a)(iii) E	20 % or 0.2	efficiency = $\frac{\text{useful energy out}}{\text{total energy in}} (\times 100\%)$ allow 1 mark for correct substitution ie $\frac{4}{20}$ provided that no subsequent step is shown 20 without % scores 1 mark, 20 or 0.2 with a unit scores 1 mark	2
3(a)(iv) E	<u>mercury</u> can be recovered / reused / recycled or mercury (vapour) does not get into the atmosphere / environment / air	accept to stop <u>mercury</u> poisoning the <u>land</u> / getting into the <u>food chain</u> / <u>water supply</u> accept poisonous gas for mercury (vapour) do not accept general poisoning cause harm to the environment is insufficient	1

Question 3 continues on the next page . . .

PH1FP

Question 3 continued . . .

question	answers	extra information	mark
3(b) A	a smaller		1
3(c) E	reaches full brightness faster	accept brighter / switches on faster accept it does not get as hot accept it will not burn someone who touches it accept stays cool accept temperature does not increase as much accept temperature only goes to 24 (°C) accept contains no mercury do not accept wastes less energy	1
3(d) A	top two boxes both ticked The number of hours each bulb lasts before needing to be replaced. The power of each bulb in watts.		1
Total			8

PH1FP
Question 4

question	answers	extra information	mark
4(a)(i) E	correct data point identified (4, 0.96)		1
4(a)(ii) A	a decrease in		1
4(b)(i) E	no / less atmospheric pollution	accept specific examples eg no CO₂ / greenhouse gases produced accept no harmful gases / fumes accept reduced pollution from transportation (of coal) accept does not contribute to global warming it / they refers to solar cells do not accept no / less pollution does not harm the environment is insufficient it is a renewable energy source is insufficient	1
4(b)(ii) E	8	allow 1 mark for showing correct method ie $\frac{7600}{950}$ provided that no subsequent step is shown	2

Question 4 continues on the next page . . .

PH1FP
Question 4 continued . . .

question	answers	extra information	mark
4(b)(iii) A	increase		1
4(b)(iv) E view with 4(b)(iii)	less / no electricity generated (because) lower light intensity (hitting solar panel / cell) or so decreases money paid / gained (from selling electricity)	these marks can score even if (b)(iii) is wrong accept energy for electricity accept reduced power / voltage output allow less light / sun (hitting solar panel / cell)	1 1
Total			8

PH1FP

Question 5

question	answers	extra information	mark
5(a)(i) E	random distribution of circles in the box with at least 50 % of circles touching		1
	random distribution of circles occupies more than 50 % of the space	judged by eye	1
5(a)(ii) E	(large) gaps between particles	accept particles do not touch accept particles are spread out	1
	(so) easy to push particles closer (together) or forces between particles are negligible / none	an answer in terms of number of particles is insufficient	1
5(b)(i) E	(both are) random	accept a correct description of random eg unpredictable or move around freely or in all directions they take up all the space is insufficient they are spread out is insufficient they move in straight lines is insufficient	1
5(b)(ii) E	(speed also) increases		1
Total			6

PH1FP**Question 6**

question	answers	extra information	mark
6(a)(i) G	conduction convection	correct order only	1 1
6(a)(ii) A	to keep the ceramic bricks hot for a longer time		1
6(b)(i) E clip with 6(b)(ii)	18.2	$E = P \times t$ allow 1 mark for correct substitution ie 2.6×7 provided that no subsequent step is shown	2
6(b)(ii) E clip with 6(b)(i)	91 (p) or their (b)(i) $\times 5$ correctly calculated	accept £0.91 do not accept 0.91 without £ sign	1
6(c) E	2 250 000	$E = m \times c \times \theta$ allow 1 mark for correct substitution ie $120 \times 750 \times 25$ provided that no subsequent step is shown answers 2250 kJ or 2.25 MJ gain both marks	2
Total			8

PH1FP
Question 7

question	answers	extra information	mark
7(a) E	B	no mark for B - marks are for the explanation	
	draught increases (the rate of) evaporation	first two mark points can score even if A is chosen accept more evaporation happens accept draught removes (evaporated) particles faster do not accept answers in terms of particles gaining energy from the fan / draught	1
	evaporation has a cooling effect	accept (average) kinetic energy of (remaining) particles decreases	1
	so temperature will fall faster / further		1
7(b) E	larger surface area		1
	increasing the (rate of) evaporation or for water to evaporate from	accept more / faster evaporation accept easier for particles to evaporate accept more particles can evaporate accept water / particles which have evaporated are trapped (in the bag) answers in terms of exposure to the Sun are insufficient	1
Total			5

PH1FP

Question 8

question	answers	extra information	mark
8(a) E	increases the voltage (across the cables) or decreases the current (through the cables) reducing energy losses (in cables)	accept heat for energy do not accept electricity for energy do not accept no energy loss accept wires do not get as hot ignore reference to travel faster	1
	or increases efficiency of (electricity / energy) transmission		1
8(b) E	6		
Marks awarded for this answer will be determined by the Quality of Written Communication (QWC) as well as the standard of the scientific response. Examiners should also refer to the information on page 4, and apply a ‘best-fit’ approach to the marking.			
0 marks	Level 1 (1–2 marks)	Level 2 (3–4 marks)	Level 3 (5–6 marks)
No relevant content	There is a brief description of one advantage or disadvantage of using either overhead or underground cables.	There is a description of some of the advantages and / or disadvantages for both overhead and underground cables, with a minimum of three points made. There must be at least one point for each type of cable.	There is a clear and detailed description of the advantages and disadvantages of overhead and underground cables, with a minimum of five points made. At least one advantage and one disadvantage for each type of cable.

Question 8 continues on the next page . . .

PH1FP

Question 8 continued . . .

question	answers	extra information	mark
examples of the points made in the response	Overhead Advantages: • (relatively) quick / easy to repair / maintain / access • less expensive to install / repair / maintain • cables cooled by the air • air acts as <u>electrical</u> insulator • can use thinner cables Disadvantages: • spoil the landscape • greater risk of (fatal) electric shock • damaged / affected by (severe) weather • hazard to low flying aircraft / helicopters	extra information marks may be gained by linking an advantage for one type of cable with a disadvantage for the other type of cable eg eg overhead cables are easy to repair = 1 mark overhead cables are easier to repair = 1 mark overhead cables are easier to repair than underground cables = 2 marks easy to install is insufficient do not accept easy to spot / see a fault less expensive is insufficient accept thermal energy / heat removed by the air accept there is no need for electrical insulation (around the cables) difficult to reach is insufficient land beneath cables can still be used is insufficient accept specific examples eg high winds, ice more maintenance is insufficient kites / fishing lines can touch them is insufficient hazard to aircraft is insufficient	

Question 8 continues on the next page . . .

PH1FP**Question 8 continued . . .**

question	answers	extra information	mark
	Underground Advantages: • cannot be seen • no hazard to aircraft / helicopters • unlikely to be / not damaged / affected by (severe) weather (normally) no / reduced shock hazard Disadvantages: • repairs take longer / are more expensive • (more) difficult to access (cables) • (very) expensive to install • thicker cables required • need cooling systems • need layers of <u>electrical</u> insulation • land disruption (to lay cables) or cannot use land either side of cable path	less maintenance is insufficient installed in urban areas is insufficient accept harder to repair / maintain have to dig up for repairs is insufficient hard to locate (cables) is insufficient faults hard to find is insufficient accept damage to environment / habitat(s) accept restricted land use	

Question 8 continues on the next page . . .

PH1FP**Question 8 continued . . .**

question	answers	extra information	mark
8(c) E	examples of acceptable responses: • closest to cables field from underground is stronger • field from overhead cables stronger after 5 metres • field from underground cables drops rapidly • field from overhead cables does not drop much until after 20 metres • overhead field drops to zero at / after 50 metres • underground field drops to zero at / after 30 metres • (strength of) field decreases with distance for <u>both</u> types of cable	allow 1 mark for each correct point accept values between 20 and 30 inclusive if suitably amplified this may score both marks	2
8(d) A	ethical		1
Total			11

UMS Conversion Calculator
<http://web.aqa.org.uk/UMS/index.php>